Color & Finish

ENDLESS POSSIBILITIES

All finishes are available in standard and custom colors and are guaranteed for five (5) years.

7 STEP POWDER COAT

- 1. Shot Blasted using abrasive, turbine ejected at 3600 rpm to clean the surface
- 2. Sanding and Cleaning to eliminate any Shot Blast residue
- 3. Chemical Pretreatment sealant applied which enables the adhesion of paint
- 4. Drying to eliminate any water
- 5. Paint Application Quali-Guard® textured, electrostatically applied
- 6. Cured finish is oven-baked at 400° F to promote maximum adherence and finish hardness
- 7. Inspected and Packaged for a minimum thickness of 3-5 millimeters and wrapped adequately so they are protected while in transit to the job site





